THE ENHANCER PREMIUM PASTE FOR PRE-PASTED WALLPAPER GH-65 MATERIAL SAFETY DATA SHEET

Decen	on 1			
anufactur	er's Name:	Emergency	Assistance:	
Roman Adhesives, Inc.			1-800-488-6117	
	24 State Street		HMIS Hazard Rati:	ng:
C.	alumet City, Illinois 6	0409		
			FIRE≈0	Lęast=0
			HEALTH=1	Slight=1
			EACTIVITY=1	Moderate=2
	Aug 2, 2002	PERSONAL P	ROTECTION=B	High=3
Revis	⊋ d :			Extreme=4
Trade	name and Synonyms:	<u></u>	· · · · · · · · · · · · · · · · · · ·	
1	T HE ENHANCER PREMIUM PA	STE FOR PRE-PAS	TED WALLPAPER GH	-65
ente e e é	1 O	3. 1'	1	
	cal Name and Synonyms: . cal Family: Synthetic p		rnToerc borAmere	
CHeur	car ramity: Symphecic p	othware		
Secti	on 2- Ingredients/Ident	ity Information		
			<u> </u>	
AS No.	Chemical Name(s)	OSHA PEL	ACGIH TLV	max %
4-17-5	Ethanol	1000 ppm	1000 დლო	0.05
7-56-1	Methanol	200 ppm	200 ppm	0.005
	ion 3-Physical/Chemical	Characteristic	:a	<u> </u>
Sect	• · · · · · · · · · · · · · · · · · · ·			_
		liquid, Slight	solvert odor	
ppearance	and Odor: Blue viscous		solvent odor	
ppearance Speci	and Odor: Blue viscous fic Gravity(water=1): 1		solvent odor	
ppearance Speci	and Odor: Blue viscous		solvent odor	
Appearance Speci Perce	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight:	.0		
ppearance Speci Perce Solub	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight: by Volume:	.0 e in all propor		
Appearance Speci Perce Solub Boili	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight: by Volume: ility in Water: Miscibl ng Point: Similar	.0 e in all propor		
ppearance Speci Perce Solub Boili Vapor Vapor	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight: by Volume: ility in Water: Miscibl ng Point: Similar Density: Similar Pressure: Similar	.0 e in all propor to wr to watr to water		
Spearance Speci Perce Solub Boili Vapor Vapor	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight: by Volume: ility in Water: Miscibl ng Point: Similar Density: Similar	.0 e in all propor to wr to watr to water		
Appearance Speci Perce Solub Boili Vapor Vapor Evapo	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight: by Volume: ility in Water: Miscibl ng Point: Similar Density: Similar Pressure: Similar	.0 e in all propor to wr to watr to water		
Appearance Speci Perce Solub Boili Vapor Vapor Evapo Melti	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight: by Volume: ility in Water: Miscibl ng Point: Similar Density: Similar Pressure: Similar ration Point: Similar	.0 e in all propor to wr to watr to water to wa	tions	ight
Appearance Speci Perce Solub Boili Vapor Vapor Evapo Nelti Volat	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight: by Volume: ility in Water: Miscibl ng Point: Similar Density: Similar Pressure: Similar ration Point: Similar ng Point: n.a.	e in all propor to wr to watr to water to wa	tions	ight
Spearance Speci Perce Solub Boili Vapor Vapor Evapo Melti Volat Secti	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight:	e in all propor to wr to watr to water to wa	tions	ight
Spearance Speci Perce Solub Boili Vapor Vapor Evapo Nelti Volat Secti	and Odor: Blue viscous fic Gravity(water=1): 1 nt Solids by Weight:	e in all propor to wr to watr to water to wa VOC, less water	tions	ight

Self contained breathing apparatus should be worn in fighting all fires involving general chemicals.
Unusual Fire and Explosion Hazards:

Section 5-Health Hazard Data

page 2 of 3

THE ENHANCER PREMIUM PASTE FOR PRE-PASTED WALLPAPER GH-65 Carcinogenicity: %TP:no IARC:no OSHA regulated: no

Overexposure--Under current OSHA criteria this product is considered non-hazardous.

Emergency First Aid Procedures

Eyes- Mild irritant. If contact occurs, flush with water for 15 minutes and seek

medical attention.

Skin- Wash from skin at first opportunity. Protective gloves may be indicated

for those sensitive to mild irritants.

Inhalation- Remove to fresh air

Ingestion- If ingestion occurs, if conscious, give water to drink and seek medical attention. Do not give anything by mouth to an unconscious person.

Section 6-Reactivity Data

This product is stable and compatible with all compounds that are compatible with water and water solutions. Hazardous polymerization does not occur.

Section 7-Precautions for Safe Handling and Use

Steps to be taken in case the product is released or spilled:

Small spills of 1-2 gallons or less may be diluted 50:1 with water and washed down the drain.

Large spills should be recovered as much as possible and disposed of as non-hazardous waste. Incinerate or landfill in accordance with Federal, State and Local regulations.

Section 8-Control Measures

Respiratory protection is not usually required, however any room where this product is used should have good ventilation, i.e., open windows, exhaust fans, etc. A good, normal precaution is to wear protective gloves and glesses. No other protection equipment is necessary.

Section 9- Special Precautions

Store at moderate temperatures (50-100 P). Protect from freezing. Keep out of the reach of children. Keep container closed when not in use.

SUPPLEMENTAL INFORMATION

Waste Disposal

This product can handled as a non-hazardous industrial waste.

REGULATORY INFORMATION

Workplace Classifications

This product is considered non-hazardous under the OSHA Hazard Communication Standard ($29 {\rm CFR} \ 1910.1200$).

page 3 of 3

THE ENHANCER PREMIUM PASTE FOR PRE-PASTED WALLPAPER GH-65

This product is not a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS).

Transportation Classifications

US DOT Shipping Class --- 60
US DOT Description --- Adhesive Paste NOI

Emergency Planning and Community Right to Know (SARA Title 3) Section 311/312 Categorizations (40CFR 370)

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

Section 313 Information (40CFR 372)

This product does not contain a chemical which is listed in Section 313 above de minimis concentrations.

CERCLA Information (40CFR 302.4)

Releases of this material to air, land or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation and Liability Act or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act, Title III Section 304.

RCRA Information

When this product becomes a waste, it is classified as a non-hazardous waste under criteria of the Resource Conservation and Recovery Act (40CFR 261).

Chemical Control Law Status

All components of this product are listed on the US-EPA Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

All components of this product are listed on the Canadian Environmental Protection Act Domestic Substances List (CEPA-DSL).